INDEX

Alim, K. A., *see* Rendel, J. M.
Altona, R. E., the control of weeds in maize with selective plant-growth regulators, 26–32.
Asker, A. A., *see* Robertson, A.

Baker, R. E. D., bananas in East Africa. I. The botanical and agricultural status of the crop, 283–90.
Bananas in East Africa. I. The botanical and agricultural status of the crop, 283–90; agricultural status, 288; botanical status and history, 286–8; identity of certain varieties, 289–90; localities: Kenya, 283–4, Tanganyika, 284–5, Uganda, 284, Zanzibar, 285–6.
Barnett, A. J. G., studies on the ensilage of kale, 139–44.
Bartlett, S., the nutritive value of conophor cake-meal for young dairy stock and fattening pigs, 51–54.
Baxter, E. S., *see* Bartlett, S.
Braude, R., *see* Bartlett, S.
Brown, W. O., the cation-exchange properties of the basaltic drift soils of north-eastern Ireland, 134–8.
Buffalo, the Egyptian, studies on, 185–90. I. Average age and calving interval; age at calving, 188, 189; distributions of calving interval, lactation length, and dry period, 186–8; herds investigated, 186–7; types of Egyptian buffaloes, 185.
Buffalo, the Menoufi type of, 131–3; method of measurement, 131–2; suggested score-card, 133.
Bunting, A. H., *see* Cameron, J. F.

Cacao in the Gold Coast, iron and zinc deficiencies in, 73–86. Iron deficiency: occurrence, 73–75; symptoms, 75–76; treatment, 77. Iron-zinc deficiency, 83–84. Zinc deficiency (sickle-leaf): diagnosis, 80–82; induction, 78–79; occurrence, 77–78; symptoms, 79–80.
— progeny trials with, in the Gold Coast, 242–52; first progeny trial, 243–6, second, 246–7; new introductions, 247–9.
Cameron, J. F., pilot-scale crop costings on groundnuts, sorghum, and maize at Urambo Experimental Station, Tanganyika Territory, 265–74.
Cattle, dairy, expansion of a breed of, 191–201; grading-up system, 191–4; mechanism of breed expansion, 194–9.
—, —, extent of selection for milk yield in, 295–301; annual genetic gains, 298–9; collection of data, 295–6; effect of culling, 296–8; selection in the breeding of bulls, 298–9.
—, —, genetic gain in, through selection of dams of bulls, 291–4; material and methods, 291; results, 292–3.
Cattle, Friesian, genetic history and breed-structure of British, 113–30; grading-up system, 126–8; important herds and animals, 119–23; importations, 114–19; inbreeding, 123–6; material and methods used, 113–14.
Cloves, the sudden-death disease of, 145–59; control measures suggested, 146–8; forecast of economic implications, 155–9, of future development, 153–5; geographical distribution in Pemba, 148; individual outbreaks: frequency distribution of size of, 151–2, increase in total number of, 152–3, rate of spread of, 148–56.
Conophor cake-meal, nutritive value of, for young dairy stock and fattening pigs, 51–54; chemical composition, 51–52; experiment with pigs, 53–54, with young dairy cattle, 52–53.
Cooke, G. W., the mechanical application of fertilizers in field experiments, 160–74.
Crop costings, pilot-scale, on groundnuts, sorghum, and maize, 265–74.

Dow, P., *see* Haskell, G.

Evans, T. A., *see* Hughes, G. P.

Fertilizers, mechanical application of, in field experiments, 160–74; fertilizers tested, 165; mechanisms tested, 161–4: plate-and-scraper, 161–2, star-wheel, 162–3, vertical wheel, 163–4; rates of delivery: effect of moisture in fertilizers, 165–6, of periodicity in delivery, 170–1, of speed, 167–70, of variations in, 166–7.

[Grassland]. Phosphate reserves in old permanent pasture, 175–84 (*see also* phosphate reserves).
Grassland, productivity of, effect of plant-growth regulators upon, 104–12; effect of MCPA and DCPA upon: botanical composition, 109; grasses grown from seed, 109; newly sown leys, 105–6; permanent pastures and well-established leys, 107–8; pre-sowing application of MCPA, 106–7; practical applications, 111; treated herbage, palatability and toxicity of, 109–11.
[Grassland]. Response of an established sheep ley to dressings of sulphate of ammonia, 55–72.
—, weed control in with MCPA and DCPA (2, 4-D), 33–44; bracken, 41; buttercups, 38–39; creeping thistle, 34–36; docks, 40; ragwort, 36–38; susceptibility of grassland weeds to MCPA, 42–43.
Greenwood, M., iron and zinc deficiencies in cacao in the Gold Coast, 73–86.
— fertilizer trials with groundnuts in N. Nigeria, 225–41.

INDEX

Alim, K. A., *see* Rendel, J. M.
Altona, R. E., the control of weeds in maize with selective plant-growth regulators, 26–32.
Asker, A. A., *see* Robertson, A.

Baker, R. E. D., bananas in East Africa. I. The botanical and agricultural status of the crop, 283–90.
Bananas in East Africa. I. The botanical and agricultural status of the crop, 283–90; agricultural status, 288; botanical status and history, 286–8; identity of certain varieties, 289–90; localities: Kenya, 283–4, Tanganyika, 284–5, Uganda, 284, Zanzibar, 285–6.
Barnett, A. J. G., studies on the ensilage of kale, 139–44.
Bartlett, S., the nutritive value of conophor cake-meal for young dairy stock and fattening pigs, 51–54.
Baxter, E. S., *see* Bartlett, S.
Braude, R., *see* Bartlett, S.
Brown, W. O., the cation-exchange properties of the basaltic drift soils of north-eastern Ireland, 134–8.
Buffalo, the Egyptian, studies on, 185–90. I. Average age and calving interval; age at calving, 188, 189; distributions of calving interval, lactation length, and dry period, 186–8; herds investigated, 186–7; types of Egyptian buffaloes, 185.
Buffalo, the Menoufi type of, 131–3; method of measurement, 131–2; suggested score-card, 133.
Bunting, A. H., *see* Cameron, J. F.

Cacao in the Gold Coast, iron and zinc deficiencies in, 73–86. Iron deficiency: occurrence, 73–75; symptoms, 75–76; treatment, 77. Iron-zinc deficiency, 83–84. Zinc deficiency (sickle-leaf): diagnosis, 80–82; induction, 78–79; occurrence, 77–78; symptoms, 79–80.
— progeny trials with, in the Gold Coast, 242–52; first progeny trial, 243–6, second, 246–7; new introductions, 247–9.
Cameron, J. F., pilot-scale crop costings on groundnuts, sorghum, and maize at Urambo Experimental Station, Tanganyika Territory, 265–74.
Cattle, dairy, expansion of a breed of, 191–201; grading-up system, 191–4; mechanism of breed expansion, 194–9.
—, —, extent of selection for milk yield in, 295–301; annual genetic gains, 298–9; collection of data, 295–6; effect of culling, 296–8; selection in the breeding of bulls, 298–9.
—, —, genetic gain in, through selection of dams of bulls, 291–4; material and methods, 291; results, 292–3.
Cattle, Friesian, genetic history and breed-structure of British, 113–30; grading-up system, 126–8; important herds and animals, 119–23; importations, 114–19; inbreeding, 123–6; material and methods used, 113–14.
Cloves, the sudden-death disease of, 145–59; control measures suggested, 146–8; forecast of economic implications, 155–9, of future development, 153–5; geographical distribution in Pemba, 148; individual outbreaks: frequency distribution of size of, 151–2, increase in total number of, 152–3, rate of spread of, 148–56.
Conophor cake-meal, nutritive value of, for young dairy stock and fattening pigs, 51–54; chemical composition, 51–52; experiment with pigs, 53–54, with young dairy cattle, 52–53.
Cooke, G. W., the mechanical application of fertilizers in field experiments, 160–74.
Crop costings, pilot-scale, on groundnuts, sorghum, and maize, 265–74.

Dow, P., *see* Haskell, G.

Evans, T. A., *see* Hughes, G. P.

Fertilizers, mechanical application of, in field experiments, 160–74; fertilizers tested, 165; mechanisms tested, 161–4: plate-and-scraper, 161–2, star-wheel, 162–3, vertical wheel, 163–4; rates of delivery: effect of moisture in fertilizers, 165–6, of periodicity in delivery, 170–1, of speed, 167–70, of variations in, 166–7.

[Grassland]. Phosphate reserves in old permanent pasture, 175–84 (*see also* phosphate reserves).
Grassland, productivity of, effect of plant-growth regulators upon, 104–12; effect of MCPA and DCPA upon: botanical composition, 109; grasses grown from seed, 109; newly sown leys, 105–6; permanent pastures and well-established leys, 107–8; pre-sowing application of MCPA, 106–7; practical applications, 111; treated herbage, palatability and toxicity of, 109–11.
[Grassland]. Response of an established sheep ley to dressings of sulphate of ammonia, 55–72.
—, weed control in with MCPA and DCPA (2, 4-D), 33–44; bracken, 41; buttercups, 38–39; creeping thistle, 34–36; docks, 40; ragwort, 36–38; susceptibility of grassland weeds to MCPA, 42–43.
Greenwood, M., iron and zinc deficiencies in cacao in the Gold Coast, 73–86.
— fertilizer trials with groundnuts in N. Nigeria, 225–41.

Griffiths, G. ap, factors influencing nitrate accumulation in Uganda soil, 1–12.
Groundnuts in N. Nigeria, fertilizer trials with, 225–41; gypsum, 233–6; N and P fertilizers 226 sqq.; placement, 231, 238–40; residual effects, 236–7; types of phosphate used, 231–3.
Groundnuts, sorghum, and maize, crop costings on, at Urambo, Tanganyika, 265–74; areas and times of operation, 268–71; methods of crop production, 265–7, of costing, 267–8; yields and costs, 271.

Halliday, D. J., field experiments in selective weed control by plant-growth regulators. III. Weed control in grassland, 33–44. IV. The effect of plant-growth regulators upon the productivity of grassland, 104–12.
Haskell, G., studies with sweet corn. V. Seed-settings with distances from pollen source, 45–50.
Hayfron, R. J., *see* Greenwood, M.
Hughes, G. P., response of an established sheep ley to dressings of sulphate of ammonia. I. Yields and botanical composition of herbage cut for silage and for hay, 55–64. II. Effects on chemical composition of the herbage, 65–72.

Inglis, J. S. S., a survey of pig-housing, 202–16.

Kale, studies on the ensilage of, 139–44; experimental apparatus and analytical methods used, 139–41; results, 141–3.
Khishin, S. S., studies on the Egyptian buffalo. I. Average age and calving interval, 185–90.

Mahadevan, P., genetic gain in dairy cattle through selection of dams of bulls, 291–4.
Maize, control of weeds in, with selective plant-growth regulators, 26–32; experiments in S. Africa at Bethlehem, 28–31, at Frankenwald, 26–8 (*see also* sweet-corn, 45–50).
McLaren, S. M., *see* Barnett, A. J. G.
Mentz, N. J., *see* Altona, R. E.
Mitchell, K. G., *see* Bartlett, S.
Moore, W., *see* Barnett, A. J. G.

Nitrate, accumulation of, in Uganda soil, 1–12; experimental work, 3–5, and results of, 5–11; influence on soil nitrate of: land opened from grass, 3; kraal manure, 7; mulch, 5; nitrate of soda, 5; sulphate of ammonia, 5; shade, 7; temperature and moisture, 7–9; rapidity of fluctuations in nitrate-content, 11; relation between crop and nitrate-content, 9–11; review of literature, 1–3, 12.
Nutman, F. J., the sudden-death disease of cloves and its economic and agricultural significance, 145–59.
Nye, P. H., studies on the fertility of Gold Coast soils. I. General account of the experiments, 217–23. II. The nitrogen status of the soils, 275–82.

Pal, B. P., potato-breeding investigations in India, 87–103.
Phosphate reserves in some old permanent pasture plots, 175–84; depth-distribution of P_2O_5 in soil, 177 sqq.; determination of available P_2O_5 by chemical methods, 179–80, by pot experiments, 180–3; manurial treatment of plots since 1897, 176.
Pig-housing, a survey of, 202–16; breeding- and rearing-houses, 208–12; fattening-houses, 212–13; general health, 205–6; heat-losses, 210–12; measurements made, 204–5: physical data from piggeries, 208–10; piggeries surveyed, 202–4; sows and boars, 213; temperature conditions: air, 206–7, globe, 207, surface, 207.
Posnette, A. F., progeny trials with cacao in the Gold Coast, 242–52.
Potato-breeding investigations in India, 87–103; collections of potato varieties, 89–90; crossability, 96; floral biology and pollen grains, 98–99; genetics, 95–98; problems and projects in India, 90–95: dormancy, 99–100, sprouts, 100–1, sterility, 96–98, 'tops' and eyes, 100.
Pushkarnath, *see* Pall, B. P.

Rendel, J. M., the extent of selection for milk yield in dairy cattle, 295–301.
Robertson, Alan, the expansion of a breed of dairy cattle, 191–201.
—, —, the extent of selection for milk yield in, 295–301.
—, —, the genetic history and breed-structure of British Friesian cattle, 113–30.
Robertson, Alex., *see* Inglis, J. S. S.
Rounce, N. V., technical considerations in the economic development of Sukumaland, 253–64.
Roy, B. B., the phosphate reserves of some old permanent pasture plots, 175–84.

Sheffield, F. M. L., *see* Nutman, F. J.
Sickle-leaf disease in the Gold Coast, 77–82; in South America, 82–84.
Simmonds, N. W., *see* Baker, R. E. D.
Soils in the Gold Coast, fertility studies on. I. General account of experiments, 217–23; climate and natural vegetation, 218–19; crops and farming methods, 220–2; methods of applying fertilizers, 222; soils, 220; trials, 217–18; distribution of, 219 (map). II. The nitrogen status of the soils, 275–82; experiments on the rate and time of N-application, 278–81; responses to sulphate of ammonia, 275–8.
—, the basaltic drift of NE. Ireland, cation-exchange properties of, 134–8; analytical methods used, 134; description and analysis of profiles, 135–6; interpretation of results, 136–8.
Sugar-cane culture in Queensland, recent advances in, 13–25; cane-breeding and

varietal work, 14–16; climate, 13; disease control, 23–24; pest control, 21–23; soil fertility investigation, 17–21; mineral deficiencies, 17–19; soil deterioration, 19–21.
Sukumaland, technical considerations in the economic development of, 253–64; agricultural conditions and practice, 253–4, 258; areas under crops, 256; crop yields, 258; production, 254–6; methods of increasing, 258–62, potential, 262–4; soils under cultivation, 257.
Sulphate of ammonia, response of an established sheep ley to, 55–72. Pt. I. Yields and botanical composition of herbage for silage and hay, 55–64; botanical composition of silage cuts and one hay-cut, in 1946–7, 62–64; dry-matter yields of two hay-cuts and three silage cuts in 1946, 56–59, of one hay and two silage cuts in 1947, 59–62. Pt. II. Effects on chemical composition of the herbage, 65–72; yield and percentage of crude protein in the hay and aftermath cuts, 68, 69, 71, 72, in the silage cuts, 65–68, 69, 70, 71.
Sweet corn (maize), studies with. V. Seed-setting with distances from pollen source, 45–50; experimental data, 45–48; results, 49.

Templeman, W. G., *see* Halliday, D. J.
Thomas, Brynmor, *see* Roy, B. B.
Toxopeus, R., *see* Cameron, J. F.

Vallance, L. G., recent advances in sugar-cane culture in Queensland, 13–25.
Van Keulen, B. W., *see* Cameron, J. F.

Zaki, M. H., the Menoufi type of buffalo: a suggested score-card, 131–3.